

REFERENCES

- [1] Telecommunication, <http://en.wikipedia.org/wiki/Telecommunications>, 1 July 2006.
- [2] Optical Fiber, http://en.wikipedia.org/wiki/Optical_fiber, 8 July 2006.
- [3] Advantages and disadvantages of fibre optic cable,
http://athene.riv.csu.edu.au/~agarts01/advantages_and_disadvantages.html,
15 July 2006.
- [4] REEVE, M H., HUNWICKS, A.R., ZHAO, W., METHLEY, S.G.,
BICKERS, L, and HORNUNGS: ‘LED spectral slicing for singlemode
local loopapplications’, *Electron. Lett.*, 1988, 24, (7), pp. 389-390
- [5] JUNG, D.K., KIM, H , HAN, K.H., and CHUNG, Y.c.: ‘Spectrum-sliced
bidirectional passive optical network for simultaneous transmission of
WDM and digital broadcast video signals’, *Electron. Letf.*, 2001,
- [6] BOIVIN, L., and COLLINGS, B.c.: ‘Spectrum slicing of coherent sources
in optical communications’, *Opf. Fiber Technol., Mater. Devices*
- [7] YABRE, G., DE WAARDT, H., VAN DEN BOOM, P.A., and KHOE, G.-
D.: ‘Noise characteristics of single-mode semiconductor lasers under
external light injection’, *IEEE J. Quantum Electron.*, 2000, 36, (3),
- [8] P. Healey, P. Townsend, C. Ford, L. Johnston,P. Townley, I. Lealman, L.
Rivers, S. Perrin and R. Moore., “ Spectral slicing WDM-PON using
wavelength-seeded reflective SOAs,”
- [9] G. P. Agrawal, Nonlinear Fiber Optics, 3rd ed., Academic Press, San Diego,
CA, 2001

- [10] Govind P. Agrawal, Fiber Optic Communication System, 3rd ed, John Wiley & Sons, Inc, New York, 2002
- [11] Wayne Tomasi, Electronic Communications Systems, 5th ed, Prentice Hall, Pearson Education South Asia Pte Ltd, Singapore, 2004
- [12] Time Division Multiplexing,
http://en.wikipedia.org/wiki/Time-division_multiplexing, 28 July 2006.
- [13] Time Division Multiplexing,
http://search smb.techtarget.com/sDefinition/0,sid44_gci214174,00.html, 5 August 2006.
- [14] Frequency Division Multiplexing,
http://searchnetworking.techtarget.com/sDefinition/0,,sid7_gci213958,00.html, 12 August 2006.
- [15] Frequency Division Multiplexing, http://en.wikipedia.org/wiki/Frequency-division_multiplexing, 10 September 2006.
- [16] Wavelength Division Multiplexing,
http://en.wikipedia.org/wiki/Wavelength_division_multiplexing, 20 September May 2006.
- [17] Govind P. Agrawal, Fiber Optic Communication System, 3rd ed, John Wiley & Sons, Inc, New York, 2002
- [18] Hetch, J., "Fiber Optics to the Home Technology Review," www.technologyreview.com/magazine/mar00/hecht.asp. 2000, Accessed on 3 November 2006.
- [19] Duff, D. G., "Computer-Aided Design of Digital Lightwave Systems," IEEE on Selected Areas in Communications, SAC-2(1), 171-185, 1984.
- [20] Stphens, T., Hinton, K., Anderson, T. Clarke, B., "Laser Turn-on Delay and Chirp Noise Effects in Gbps Intensity-Modulated Direct-Detection Systems," Journal of Lighwave Technology, 13, 666-674, 1995.

- [21] Djupsjobacka, A., "Prechirped Duobinary Modulation," Photonics Technology Letters, Vol. 10, No. 8, 1159-1161, 1998.
- [22] Caspar, C., Foisel, H. M., Gladisch, A., Hanik, N., Kuppers, F., Ludwig, R., Mattheus, "Format for Dispersion Compensated SMF-Based 10 Gbps Transmission With More Than 100 Km Amplifier Spacing," IEEE Photonics Technology Letters, Vol. 11, 481-483, 1999.
- [23] Elrefaie, F., Wagner, R. E., Atlas, D.A., and Daut, D. G., "Chromatic Dispersion Limitations in coherent lightwave Systems" Journal of Lightwave Technology, Vol. 6, 704-709, 1988.
- [24] Gnauck, A. H., Tkach, R. W., and Mazurczyk, M., "Interplay of Chirp and Self Phase Modulation in Dispersion-Limited Optical Transmission Systems," Proceedings of European Conference on Optical Communications, Volume, 105-108, 1993.
- [25] Tkach, R. W., Chraplyvy, A.R., Forghieri, "Four Photon Mixing and High Speed WDM Systems," Journal of Lightwave Technology, Vol. 13, No. 5, 841-849, 1995.
- [26] Hui R., O'Sullivan, M., Robinson, A., and Taylor, M., "Modulation Instability and Its Impact in Multispan Optical Amplified IMDD Systems: Theory and Experiments," Journal of Lightwave Technology, Vol. 15, No. 7, 1071-1082, 1997.
- [27] Breuer, D. Ehrke, H.J., Kuppers, F., Ludwig, R., and Petermann, K., "Unrepeated 40 Gbps RZ Single-Channel Transmission 1.55 μ m Using Various Fiber Types," Photonics Technology Letters, Vol.10, No. 6, 822-844, 1998.
- [28] Kawanishi, T. "Numerical Analysis of Tunable Delay Line with an SSB Modulator," Jan 2003. <http://www.cybernet.co.jp/optiwave/optisystem/stories/user1.pdf>. Accessed on 20 January 2007.
- [29] "Spectrum-Sliced Source Noise Reduction using a Semiconductor Optical Amplifier" <http://www.actapress.com/PaperInfo.aspx?PaperID=20951>
- [30] "Analysis, Design and Performance Evaluation of Optical Fiber Spectrum-Sliced WDM Systems" http://scholar.lib.vt.edu/theses/available/etd-52897-17181/unrestricted/VA_Abstract.pdf

